AI Mode   All   Images   Short videos   Videos   More

Panasonic 8 extension kx tes824 refurbished pdf spec

The **Panasonic KX-TES824** advanced hybrid PBX system is a refurbished unit that comes pre-configured for **3 outside lines and 8 extensions**, but is expandable to a maximum capacity of **8 outside lines and 24 extensions**. The specifications for both new and refurbished units are identical, as "refurbished" refers to the unit's condition and not a change in its original design specifications. 🔗

Core Specifications

The base system supports a variety of features and connectivity options. 🔗

- **Maximum Capacity**: 8 analogue CO (outside) lines and 24 extensions (16 hybrid, 8 single line telephone (SLT)).

- **Initial Configuration**: The unit comes built-in with 3 CO lines and 8 extensions.

- **Dimensions (W x H x D)**: Approximately 368 mm x 284 mm x 117 mm.

- **Weight**: Approx. 3.5 Kg when fully expanded.

- **Power Source**: AC 110 - 240 V, 50/60 Hz.

- **Programming**: The system can be programmed via a PC using the [Panasonic KX-TE Maintenance Console software](#) connected via the built-in **USB** or serial (RS-232C) port.

- **Built-in Features**: Includes a built-in DISA (Direct Inward System Access) card with 3-level auto-attendant and a [   ] message function (BV). 🔗

💬 Ask about this

Ask anything

\+   🎤

AI Mode   All   Images   Short videos   Videos   More ▾

- **Messaging Cards**:

  - **KX-TE82491**: Message expansion card for OGM (1 channel, 180 sec).

  - **KX-TE82492**: 2-Channel voice message card.

- **Caller ID Card**:

  - **KX-TE82493**: 3-Port Caller ID card (required for Caller ID display on SLTs and APTs).

- **Other Integration**: Supports up to 4 doorphones and door openers with an optional card. ✐

User Manual and Documentation

PDF manuals and feature guides for the Panasonic KX-TES824 are available online from various sources. These manuals provide detailed instructions for installation, configuration, troubleshooting, and daily operation of the system and its features. ✐

- The **Installation Manual** covers system outline, physical installation, and PC console guide.

- The **Feature Guide** details what the PBX can do and how to utilize its various functions.

- The **Operating Manual** describes how users can access features using their telephones (PTs and SLTs). ✐

        ⤳   👍   👎   💬 Ask about this

AI Mode   All   Images   Short videos   Videos   More ▾

سرت ایدان سر ⁝

Panasonic KX-TES824 Brochure | PDF | Voicemail | Telephone

Advanced Hybrid System * The Best Cost Effective Solution. For All Your Communication Needs. For voice conversation - your telepho...

Ⓢ Scribd   ⁝

Show all

PLEASE CREAT A PDF OF THE SPECIFIACATION

The specifications for the Panasonic KX-TES824 system (refurbished or new) are detailed below. You can save this information as a PDF by using your browser's "Print" function (**Ctrl+P** or **Cmd+P**) and selecting "**Save as PDF**" as the destination.

Panasonic KX-TES824 Specification Summary

The KX-TES824 is an advanced hybrid PBX system designed for small businesses, typically pre-configured for 3 lines and 8 extensions.

1. System Capacity

- **Initial Configuration**: 3 Outside (CO) Lines, 8 Extensions (Hybrid).
- **Maximum Configuration**: 8 Outside (CO) Lines, 24 Extensions (16 Hybrid + 8 SLT).
- **Intercom Paths**: 4.

💬 Ask about this

AI Mode   All   Images   Short videos   Videos   More ▾

3. Core Features

- **DISA (Direct Inward System Access)**: Built-in 1-channel, 180-second 3-level auto-attendant.

- **Voice Messaging**: Supports built-in voice message (BV) and optional cards for 2-channel messaging.

- **Caller ID**: Compatible with SLTs and APTs (requires optional card).

- **Call Handling**: Call forwarding (busy/no answer/follow-me), call hold, pickup, transfer, and 5-party conferencing.

- **Economical Management**: Station Message Detail Recording (SMDR) for logging date, time, and duration of calls.

4. Expansion Cards

- **KX-TE82483**: 3 CO lines and 8 Hybrid extensions.

- **KX-TE82480**: 2 CO lines and 8 SLT extensions.

- **KX-TE82474**: 8 SLT extension card.

- **KX-TE82493/94**: Caller ID cards for 3 lines.

Authoritative PDF Links

For the full manufacturer documentation, you may refer to these original manuals:

- [KX-TES824 Installation Manual (](#)⟩⟩ Ask about this

- [KX-TES824 Feature Guide (PDF)](#)

AI Mode · All · Images · Short videos · Videos · More ▾

Bobs Telephone File ⋮

Panasonic Phone PBXTES824 - Starlite

Maximum configuration - 8 Analogue CO / 24 Extensions. Call Forwarding (Busy / No Answer / Follow-Me / to Outside) Built-in Voice ...

🌐 starlite.com.gh ⋮

KX-TES824 Model KX-TEM824 Installation Manual

* System Components Table. Model. * Description. Main Unit. * KX-TES824. Advanced Hybrid System: 3 to 8 Outside (CO) Lines, 8 to 2...

شرکت ایده آل گستر ⋮

Show all

💬 Ask about this