

MULTISTAR 4CH 5AMP

The **Multistar 4CH 5AMP** is a regulated power supply unit primarily for CCTV systems, providing 12V DC power across four channels with a total 5 Amp output.

Technical Specifications

Specification	Detail
Input Voltage	90V to 264V AC
Input Frequency	50-60 Hz
Output Voltage	12V DC (adjustable range is often 11V to 15V or 11.8V to 15V DC, depending on model)
Total Output Current	5 Amps (5A)
Total Output Power	Approx. 60 Watts
Number of Channels	4 channels
Max Current per Channel	Typically up to 1.1A, 1.25A, or 2A (with polymer PTC fuse protection, depending on specific model variant)
Protection Features	Overload, short-circuit, and over-voltage protection; uses PTC (Positive Temperature Coefficient) fuses for safety

Indicators	Individual LED indicator lights for each channel
Connectivity	Screw terminals or 2.1mm DC barrel jacks for output connections
Enclosure	Metal or plastic box casing, often designed for wall mounting
Operating Temperature	-30°C to 45°C (-22°F to 113°F)
Dimensions	Varies slightly by manufacturer/model; example: 5.94 x 2.16 x 1.38 inches (151 x 55 x 35mm)
Weight	Approx. 0.83 lbs (0.38kg)
